



DLR and ESA Human Space Dosimetry – Current experiments and the future

T. Berger

DLR – German Aerospace Center

Institute of Aerospace Medicine, Cologne




Deutsches Zentrum
für Luft- und Raumfahrt e.V.
in der Helmholtz-Gemeinschaft

➤ MATROSHKA



➤ EuCPD




➤ Future....



MATROSHKA



- MATROSHKA (MTR) Facility is designed to determine the radiation exposure of an astronaut / cosmonaut during an extravehicular activity (EVA) (MTR-1) and during his stay inside the International Space Station (MTR-2 A/B)
- Radiation exposure is measured in a Phantom simulating an Human Upper Torso shielded with a Carbon Fibre structure simulating the EVA suit
- Active and Passive Radiation Detectors are distributed over the whole body to determine skin and organ doses



MATROSHKA inside ISS January 2004

MATROSHKA



- **MATROSHKA-1** was the first long duration phantom experiment positioned outside a Space Station (Duration of ~ 600 days)
- **MATROSHKA-2 A/B** will measure the dose distribution of an astro – and cosmonaut inside the ISS
- The combination of **MTR-1** and **MTR-2** will for the first time allow the comparison of skin- and depth dose measurements performed with the same facility in and outside the ISS
- Results will give the dose distribution inside a Human Phantom for a better correlation between skin and organ dose and for better risk assessment in future long duration space flight




MATROSHKA-1 EVA February 2004

ESA Project



Science and Project Lead: G. Reitz, DLR



**International Contribution:
19 Institutes for MATROSHKA**




Deutsches Zentrum
für Luft- und Raumfahrt e.V.
in der Helmholtz-Gemeinschaft

The MATROSHKA Facility



Phantom Torso



+ Poncho



+ Container



+ MLI (MTR-1)



The MATROSHKA Facility – Active radiation detectors



DOSTEL
(Dosimetric Telescope)


SSD
(Silicon Scintillator Device)

- Eye
- Lung
- Stomach
- Kidney
- Intestine

TEPC
(Tissue equivalent proportional counter)



The MATROSHKA Facility – Passive radiation detectors




Thermoluminescence detectors (TLDs) and Nuclear Track Etch detectors
Total Number : ~ 6000

MATROSHKA-1 Timetable



Launch of MATROSHKA	29. January 2004 with PROGRESS
Docking with ISS	31. January 2004
EVA	26. February 2004 performed by expedition 8 crew Alexander Kaleri Michael Foale
Activation of the active instruments	16. April 2004
EVA	18. August 2005 performed by expedition 11 crew Sergei Krikalev and John Phillips
Dismounting of the passive detectors	14. September 2005 performed by expedition 11 crew Sergei Krikalev and John Phillips
Detector download	11. October 2005 with Soyuz

MATROSHKA-1



MATROSHKA mounted outside the ISS February 2004 – August 2005




Deutsches Zentrum
für Luft- und Raumfahrt e.V.
in der Helmholtz-Gemeinschaft

MATROSHKA-1 Science (active DOSTEL)





- Radiation exposure during an EVA: 1.3 mSv/day
- Radiation exposure inside the ISS: 0.4 mSv/day



Count rate of DOSTEL over a period of 16 days

MATROSHKA-1 Science (passive TLDs)




MATROSHKA-2 Timetable



New Detector upload – Start of MATROSHKA-2 Phase A (passive)	21. December 2005 with PROGRESS 20P
Integration of the passive detector set into the MATROSHKA Facility	05. January 2006 performed by expedition 12 crew William McArthur and Valery Tokarev
Exposure time for MATROSHKA-2 Phase A	~ September 2006
Start of MATROSHKA-2 Phase B (passive and active)	Autumn 2006 (6 months)
Start of MATROSHKA-2 Phase C (2 nd outside exposure)	Spring 2007

MATROSHKA-2 Detector mounting



MATROSHKA-2 Phase A passive detector mounting January 2006

MATROSHKA-2 Exposure Inside ISS



MATROSHKA-2 Phase A ISS exposure in the docking compartment (DC-1)

MATROSHKA



➤ **Passive dosimetry**

Combination of TLD/ OSL with CR-39 detectors for the determination of


- absorbed dose
- LET spectra / Qualityfactor
- dose equivalent
- neutron dose

➤ **Active dosimetry**

- Tissue equivalent proportional counter
- Silicon telescope
- Plastic scintillator
- LET spectra / Qualityfactor ... Neutron component

EuCPD

European Crew Personal Dosemeter





Starting with STS-121 ... STS-116...

EuCPD

European Crew Personal Dosemeter

Light weight (~ 30g) passive dosemeter system




- Thermoluminescence Detectors (TLD's)
- CR-39 Nuclear Track Etch Detectors
- PADC Neutron Detector

Personal Dosemeter for European Astronauts (inside (IVA) and outside (EVA) the ISS)



EuCPD


European Crew Personal Dosemeter



➤ 48 x TLD's

➤ 2 x CR-39

➤ 1 x PADC



EuCPD

European Crew Personal Dosemeter



➤ Personal Crew Dosemeter

- Passive Systems (easy to handle)
- Development of a small active device
(based on Silicon detectors)

ALTCRISS




Astronauts
Human Spaceflight and Exploration
European Space Agency




Deutsches Zentrum
für Luft- und Raumfahrt e.V.
in der Helmholtz-Gemeinschaft

DOSIS



Dose Distribution Inside ISS


- Dosimetric Mapping Experiment
- Dosimetry inside the ISS using active and passive devices



Columbus





Astronauts
Human Spaceflight and Exploration
European Space Agency





Deutsches Zentrum
für Luft- und Raumfahrt e.V.
in der Helmholtz-Gemeinschaft

Columbus




- Permanent Dosimetric Mapping Inside the Columbus module
- Outside : Dosimetry on **EuTEF** and on **Expose**

Columbus / EuTEF



EuTEF – Active dosimetry




Expose – Passive dosimetry


Columbus / EuTEF



➤ **EuTEF** → DOSTEL (active)





Expose / Expose-R




➤ Passive Dosimetry

FOTON – Biopan Missions



➤ Dosimetry for very low shielding thicknesses

ExoMars



Dimensions: Ø 58 mm, Height 55 mm

Mass: ~ 500g

Power consumption: 600mW

MSL

